

**2014
FLORIDA YOUTH
SUBSTANCE ABUSE SURVEY**

Flagler County

Methodology


- Survey administration: February of 2014.
- Sampling strategy: schools and classrooms were selected to generate statistically representative county-level estimates.
- Final sample size was 941 across grades 6 through 12.
- The margin of error is less than 6.2 percentage points for M.S. prevalence rates and 5.8 percentage points for H.S. prevalence rates.

Lifetime and Past-30-Day ATOD Prevalence Rates

2014 Results

**Graph
1**


Lifetime use of alcohol, tobacco and other drugs among Flagler County students, 2014



* High School Only

**Graph
2**

Past-30-day use of alcohol, tobacco and other drugs among Flagler County students, 2014



Key Findings

- With overall prevalence rates of 46.7% for lifetime use and 21.7% for past-30-day use, alcohol is the most commonly used drug among Flagler County students.
- After alcohol, students reported marijuana (27.6% lifetime and 13.3% past-30-day) and cigarettes (21.7% lifetime and 7.5% past-30-day) as the most commonly used drugs.
- 20.7% of high school students reported blacking out after drinking on one or more occasions.
- For other ATOD categories, past-30-day prevalence ranges from 2.5% for prescription pain relievers to 0.2% for steroids.


Alcohol, Cigarettes and Marijuana

2004-2014 Trends

**Early Initiation and Risk of Harm
ATODs and Driving**


**Graph
3**

Past-30-day alcohol use, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
4**

Binge Drinking, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
5**

Alcohol trends summary for Flagler County, 2004-2014




**Graph
6**

Usual source of alcohol within the past 30 days among **high school** drinkers, Flagler County and Florida Statewide, 2014




**Graph
7**

Usual drinking location within the past 30 days among **high school** drinkers, Flagler County and Florida Statewide, 2014




**Graph
8**

Past-30-day cigarette use, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
9**

Cigarette trends summary for Flagler County, 2004-2014




**Graph
10**

Past-30-day marijuana use, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
11**

Marijuana trends summary for Flagler County, 2004-2014




**Graph
12**

ATOD Use Before or During School, Flagler County and Florida Statewide, 2014



**Graph
13**

DUI or riding with a driver under the influence, Flagler County 2012-2014 and Florida Statewide 2014



Note: DUI does not imply intoxication but only indicates use prior to driving.

Key Findings


- In Flagler County, past-30-day alcohol use was reported at 21.7%, compared to 24.6% across the statewide sample.
- After reaching a high of 21.3% in 2006, binge drinking is at a low of 10.4% in 2014.
- After increasing from 2004 to 2010 (from 11.5% to 15.4%), past-30-day marijuana use decreased to 13.3% in 2014.
- 20.0% of high school students have ridden in a car with a driver who was under the influence of alcohol, and 23.8% have ridden with a driver under the influence of marijuana.

Other Illicit, Over-the-Counter, and Prescription Drugs

2004-2014 Trends


**Graph
14**

Past-30-day inhalant use, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
15**

Past-30-day over-the-counter drug use, Flagler County 2010-2014 and Florida Statewide 2014




**Graph
16**

Past-30-day depressants use, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
17**

Past-30-day prescription pain reliever use, Flagler County 2004-2014 and Florida Statewide 2014




**Graph
18**

Past-30-day prescription amphetamines use, Flagler County 2004-2014 and Florida Statewide 2014



**Graph
19**

Past-30-day drug combination rates for Flagler County and Florida Statewide, 2014



Key Findings


- In Flagler County, 7.1% of surveyed students reported the use of any illicit drug other than marijuana in the past 30 days, compared to 8.2% across the statewide sample.
- Past-30-day inhalant use decreased from 3.2% in 2012 to 1.3% in 2014.
- Past-30-day Rx pain reliever use was reported at 2.5%, compared to 2.3% across the statewide survey.
- Among middle school students, 2.9% reported the use of prescription pain relievers in the past 30 days, a rate higher than any other illicit drug (except marijuana).

Other Antisocial Behaviors, Including Bullying-Related Behaviors

2014 Results


**Graph
20**

Comparisons of past-12-month delinquent behavior for Flagler County and Florida Statewide, 2014




**Graph
21**

Bullying-related behaviors among Flagler County middle and high school students, 2014



**Graph
22**

Gang involvement, Flagler County and Florida Statewide, 2014



Key Findings


- In Flagler County, prevalence rates for *Attempting to Steal a Vehicle* (1.5%) and *Taking a Handgun to School* (0.7%) are less than 2.0%.
- Higher prevalence rates were reported for *Getting Suspended* (9.3%) and *Attacking Someone with Intent to Harm* (7.5%).
- In Flagler County, 28.6% of students have been socially bullied, 14.1% have been physically bullied, and 8.2% have been cyber bullied.
- 5.2% of students have belonged to a gang, and 3.1% of high school students are currently gang members.

Risk and Protective Factor Prevalence Rates for M.S. and H.S. Students

2014 Results


**Graph
23**

Protective factor prevalence rates for Flagler County and Florida Statewide middle school students, 2014




**Graph
24**

Community domain and family domain risk factor prevalence rates for Flagler County and Florida Statewide middle school students, 2014




**Graph
25**

School domain and peer and individual domain risk factor prevalence rates for Flagler County and Florida Statewide **middle school** students, 2014




**Graph
26**

Protective factor prevalence rates for Flagler County and Florida Statewide high school students, 2014




**Graph
27**

Community domain and family domain risk factor prevalence rates for Flagler County and Florida Statewide high school students, 2014



**Graph
28**

School domain and peer and individual domain risk factor prevalence rates for Flagler County and Florida Statewide high school students, 2014



Key Findings

- Protective factor prevalence rates—opportunities for improvement:
 - Middle school students reported the lowest rates of protection for the *Community Rewards for Prosocial Involvement* (42%) and *School Opportunities for Prosocial Involvement* (45%) scales.
 - High school students reported the lowest rates of protection for the *Family Opportunities for Prosocial Involvement* (55%), *Family Rewards for Prosocial Involvement* (55%) and *Religiosity* (53%) scales.

Key Findings

- Risk factor prevalence rates—opportunities for improvement:
 - Middle school students reported the highest rates of risk for the *Transitions and Mobility* (63%) and *Lack of Commitment to School* (56%) scales.
 - High school students reported the highest rates of risk for the *Transitions and Mobility* (72%) and *Community Disorganization* (56%) scales.