

2014 Florida Youth Substance Abuse Survey

Flagler County Data Tables

Table 1. Major demographic characteristics of surveyed Flagler County and Florida Statewide, 2014

	Flagler County		Florida Statewide	
	N	%	N	%
Sex				
Female	462	49.1	33,366	50.6
Male	457	48.6	31,377	47.6
Race/Ethnic group				
African American	121	12.9	9,713	14.7
American Indian	18	1.9	1,334	2.0
Asian	21	2.2	1,356	2.1
Hispanic/Latino	105	11.2	10,514	16.0
Native Hawaiian/Pacific Islander	4	0.4	227	0.3
Other/Multiple	203	21.6	10,781	16.4
White, non-Hispanic	461	49.0	31,356	47.6
Age				
10	1	0.1	66	0.1
11	73	7.8	4,444	6.7
12	119	12.6	10,292	15.6
13	144	15.3	11,827	17.9
14	142	15.1	10,782	16.4
15	141	15.0	9,199	14.0
16	165	17.5	8,050	12.2
17	102	10.8	6,988	10.6
18	37	3.9	3,537	5.4
19 or older	9	1.0	506	0.8
Grade				
6th	158	16.8	11,546	17.5
7th	125	13.3	12,154	18.4
8th	153	16.3	11,481	17.4
9th	151	16.0	9,454	14.3
10th	144	15.3	8,108	12.3
11th	135	14.3	7,281	11.0
12th	75	8.0	5,893	8.9
Overall Middle School	436	46.3	35,063	53.2
Overall High School	505	53.7	30,649	46.5
Total	941	100.0	65,917	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Flagler County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2014

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	27.2	61.2	47.4	45.9	30.7	58.9	46.7	25.0	56.0	44.3	40.9	26.6	56.5	42.6
Blacking Out	--	20.7	20.2	21.5	--	20.9	20.7	--	18.9	19.8	18.1	--	19.5	18.9
Cigarettes	12.4	28.6	20.4	22.7	13.3	28.2	21.7	9.8	23.6	17.2	18.0	10.1	23.5	17.6
Marijuana or Hashish	11.6	39.4	24.8	29.8	12.7	39.6	27.6	8.4	33.4	22.1	23.0	9.2	34.1	22.6
Synthetic Marijuana	--	12.1	8.9	15.3	--	12.2	12.1	--	8.8	7.7	10.0	--	8.9	8.8
Inhalants	6.5	4.2	7.1	3.1	6.5	4.4	5.2	8.6	4.9	7.2	5.8	8.3	5.0	6.5
Club Drugs	1.0	3.9	2.4	3.0	1.1	4.1	2.7	1.1	4.5	2.8	3.2	1.2	4.2	3.0
LSD, PCP or Mushrooms	1.4	4.1	2.3	3.7	1.1	4.1	2.9	1.3	5.3	2.8	4.3	1.4	5.3	3.6
Methamphetamine	0.6	1.3	1.0	1.1	0.6	1.0	1.0	0.9	1.1	0.8	1.2	0.8	1.1	1.0
Cocaine or Crack Cocaine	0.8	2.5	0.9	2.7	0.7	2.4	1.8	0.9	2.5	1.6	2.1	0.9	2.4	1.9
Heroin	0.4	0.8	0.6	0.7	0.3	1.0	0.6	0.6	0.7	0.4	0.8	0.6	0.7	0.6
Depressants	1.0	6.0	5.7	2.1	2.0	6.3	3.9	1.9	6.2	5.1	3.6	2.1	6.3	4.3
Prescription Pain Relievers	4.8	8.8	8.2	5.9	5.0	7.8	7.1	3.0	7.3	5.9	5.1	3.3	7.4	5.5
Prescription Amphetamines	1.0	2.9	1.8	2.5	1.6	2.6	2.1	1.0	5.1	3.5	3.2	1.2	5.0	3.3
Steroids (without a doctor's order)	0.0	0.5	0.0	0.6	0.2	0.0	0.3	0.5	0.8	0.3	1.0	0.5	0.8	0.7
Over-the-Counter Drugs	3.9	5.4	5.2	4.5	3.7	5.6	4.8	3.4	6.1	5.1	4.8	3.5	6.2	5.0
Any illicit drug	18.9	44.5	33.6	32.9	20.3	44.6	33.5	17.9	39.3	30.7	29.4	18.7	39.9	30.0
Any illicit drug other than marijuana	12.4	17.9	18.0	13.1	13.3	16.6	15.5	13.7	19.7	17.9	16.4	13.9	19.9	17.1
Alcohol only	13.2	21.3	17.8	18.1	14.6	20.2	17.9	14.0	22.2	19.5	17.8	14.8	22.0	18.6
Alcohol or any illicit drug	32.2	66.1	51.7	50.9	35.1	64.9	51.5	31.7	61.4	50.1	47.0	33.3	61.9	48.5
Any illicit drug, but no alcohol	5.3	5.0	4.6	5.3	4.7	6.2	5.1	6.9	5.5	5.9	6.3	6.9	5.5	6.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Flagler County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2014

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.7	30.6	23.6	19.8	11.1	31.4	21.7	10.1	28.4	21.7	19.4	11.1	28.1	20.5
Binge Drinking	4.0	15.2	8.9	12.0	3.8	16.5	10.4	3.9	13.7	9.5	9.4	4.1	13.7	9.5
Cigarettes	4.0	10.2	6.7	8.6	3.6	10.0	7.5	2.0	7.1	4.4	5.3	2.1	6.8	4.9
Marijuana or Hashish	5.8	18.9	11.4	15.4	6.3	21.0	13.3	4.2	18.6	11.7	13.1	4.7	18.9	12.4
Synthetic Marijuana	--	1.1	0.6	1.6	--	1.5	1.1	--	1.4	1.2	1.6	--	1.5	1.4
Inhalants	2.1	0.7	1.8	0.9	2.4	0.4	1.3	3.1	1.3	2.3	1.9	2.8	1.5	2.1
Club Drugs	0.5	1.3	0.6	1.4	0.5	1.6	0.9	0.3	1.0	0.7	0.8	0.4	1.0	0.7
LSD, PCP or Mushrooms	0.3	0.6	0.4	0.5	0.3	0.7	0.5	0.6	1.4	0.8	1.2	0.6	1.4	1.0
Methamphetamine	0.8	1.0	0.9	0.9	0.7	0.6	0.9	0.4	0.5	0.4	0.6	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.9	1.4	0.6	1.9	0.8	1.8	1.2	0.4	0.7	0.5	0.7	0.4	0.7	0.6
Heroin	0.4	0.5	0.3	0.6	0.4	0.6	0.4	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Depressants	1.0	2.3	2.2	1.3	1.2	2.6	1.7	0.8	2.1	1.8	1.2	0.9	2.2	1.5
Prescription Pain Relievers	2.9	2.2	3.3	1.4	2.2	2.9	2.5	1.4	2.6	2.4	1.8	1.6	2.6	2.1
Prescription Amphetamines	1.1	1.1	1.2	1.0	1.1	1.3	1.1	0.5	1.7	1.1	1.1	0.6	1.6	1.2
Steroids (without a doctor's order)	0.0	0.3	0.0	0.4	0.0	0.0	0.2	0.2	0.3	0.1	0.4	0.2	0.3	0.3
Over-the-Counter Drugs	2.6	1.8	2.1	2.3	2.5	1.7	2.2	1.6	2.4	2.3	1.8	1.7	2.4	2.1
Any illicit drug	9.0	21.8	15.7	16.7	9.7	23.0	16.3	8.7	22.3	16.4	16.3	9.2	22.5	16.4
Any illicit drug other than marijuana	6.6	7.4	7.8	6.2	6.6	7.0	7.1	6.2	8.5	7.9	7.0	6.2	8.7	7.5
Alcohol only	5.9	16.0	13.5	9.8	6.3	16.4	11.7	6.3	14.5	11.7	10.1	6.8	14.3	10.9
Alcohol or any illicit drug	14.7	37.8	29.4	26.2	16.0	39.4	27.9	14.8	36.3	27.9	26.1	15.9	36.4	27.0
Any illicit drug, but no alcohol	5.3	7.5	6.0	6.8	5.3	8.2	6.6	4.8	8.1	6.5	6.9	4.9	8.5	6.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Flagler County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	54.9	74.0	65.1	43.5	73.5	60.3	42.7	71.4	58.7	39.6	67.3	55.1	35.1	66.7	53.0	27.2	61.2	46.7
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	20.7	20.7
Cigarettes	34.8	46.8	41.1	27.1	46.5	38.0	22.7	44.3	34.8	19.0	37.3	29.2	19.7	36.0	28.9	12.4	28.6	21.7
Marijuana or Hashish	17.7	34.0	26.4	13.1	37.5	27.0	12.4	34.7	24.9	12.3	33.8	24.4	12.8	36.8	26.4	11.6	39.4	27.6
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	17.8	17.8	--	12.1	12.1
Inhalants	23.3	11.0	16.6	16.0	12.1	13.7	15.6	11.1	13.1	10.9	8.2	9.3	14.6	5.5	9.4	6.5	4.2	5.2
Club Drugs	--	--	--	--	--	--	3.0	--	3.0	1.9	3.1	2.6	0.9	6.2	3.9	1.0	3.9	2.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	3.2	--	3.2	1.8	3.0	2.5	2.8	4.8	4.0	1.4	4.1	2.9
Methamphetamine	2.5	2.5	2.5	3.3	2.2	2.7	2.5	2.9	2.7	1.2	1.3	1.2	1.1	1.7	1.5	0.6	1.3	1.0
Cocaine or Crack Cocaine	--	--	--	--	--	--	2.6	--	2.6	1.8	3.3	2.6	2.6	4.0	3.4	0.8	2.5	1.8
Heroin	1.1	0.6	0.8	1.0	0.5	0.7	2.0	0.8	1.4	0.8	0.6	0.7	1.1	1.6	1.4	0.4	0.8	0.6
Depressants	3.0	7.8	5.6	3.4	7.3	5.6	3.5	9.8	7.0	4.4	8.4	6.6	3.2	7.3	5.5	1.0	6.0	3.9
Prescription Pain Relievers	8.5	12.0	10.4	5.4	12.9	9.7	6.3	14.7	11.0	5.0	8.5	7.0	5.1	12.5	9.3	4.8	8.8	7.1
Prescription Amphetamines	2.2	3.7	3.0	2.5	6.9	5.1	1.9	6.5	4.4	2.3	5.6	4.1	2.4	4.0	3.3	1.0	2.9	2.1
Steroids (without a doctor's order)	1.8	1.1	1.4	1.4	1.6	1.5	1.1	1.2	1.2	0.4	0.0	0.2	1.2	1.4	1.3	0.0	0.5	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	6.7	--	6.7	5.0	9.2	7.4	6.5	9.8	8.4	3.9	5.4	4.8
Any illicit drug	35.1	40.8	38.0	24.2	44.4	35.7	25.5	41.9	34.7	23.8	40.6	33.2	26.5	45.9	37.4	18.9	44.5	33.5
Any illicit drug other than marijuana	27.8	20.5	23.8	20.0	27.1	24.0	20.4	26.8	24.0	18.8	21.6	20.4	21.1	24.8	23.2	12.4	17.9	15.5
Alcohol only	24.6	35.7	30.6	23.4	30.6	27.5	22.4	31.7	27.6	20.8	29.9	25.9	16.0	25.5	21.4	13.2	21.3	17.9
Alcohol or any illicit drug	59.6	76.4	68.5	46.1	74.7	62.1	47.7	73.2	61.9	44.3	70.3	58.9	42.4	71.2	58.7	32.2	66.1	51.5
Any illicit drug, but no alcohol	5.0	2.4	3.6	3.2	2.0	2.5	5.1	2.3	3.5	5.2	3.1	4.0	7.4	4.5	5.8	5.3	5.0	5.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Flagler County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	27.3	42.8	35.6	25.6	48.6	38.7	21.5	44.9	34.6	16.3	39.7	29.5	15.2	37.5	27.8	9.7	30.6	21.7
Binge Drinking	15.0	20.3	17.8	11.0	28.8	21.3	9.7	26.3	18.9	6.9	20.6	14.6	7.2	16.9	12.7	4.0	15.2	10.4
Cigarettes	10.3	22.1	16.6	9.1	20.1	15.2	6.7	17.7	12.9	5.5	13.7	10.1	3.5	13.4	9.1	4.0	10.2	7.5
Marijuana or Hashish	9.1	13.7	11.5	7.9	15.8	12.4	7.0	19.4	14.0	7.0	21.7	15.4	6.5	21.9	15.3	5.8	18.9	13.3
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	9.7	9.7	--	1.1	1.1
Inhalants	13.8	2.3	7.6	4.9	3.2	3.9	6.7	2.8	4.5	4.4	1.9	3.0	5.4	1.6	3.2	2.1	0.7	1.3
Club Drugs	--	--	--	--	--	--	1.0	--	1.0	0.9	1.2	1.0	0.5	1.4	1.0	0.5	1.3	0.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	1.1	--	1.1	0.6	0.8	0.7	1.3	1.5	1.4	0.3	0.6	0.5
Methamphetamine	0.7	0.7	0.7	0.9	0.3	0.6	1.3	1.4	1.3	0.7	1.0	0.9	0.6	0.0	0.3	0.8	1.0	0.9
Cocaine or Crack Cocaine	--	--	--	--	--	--	1.2	--	1.2	0.8	0.8	0.8	1.7	0.4	1.0	0.9	1.4	1.2
Heroin	0.1	0.0	0.1	0.4	0.4	0.4	0.8	0.5	0.6	0.2	0.3	0.3	0.5	0.7	0.6	0.4	0.5	0.4
Depressants	1.1	2.1	1.6	2.2	2.8	2.5	0.6	4.7	2.9	1.8	3.4	2.7	0.9	2.5	1.8	1.0	2.3	1.7
Prescription Pain Relievers	3.4	4.6	4.1	2.0	5.0	3.8	1.9	5.8	4.1	2.0	4.2	3.3	2.3	5.3	4.0	2.9	2.2	2.5
Prescription Amphetamines	1.1	1.4	1.3	1.5	1.9	1.7	1.3	2.8	2.1	0.4	1.2	0.9	0.9	0.7	0.8	1.1	1.1	1.1
Steroids (without a doctor's order)	1.3	0.6	0.9	1.0	0.6	0.8	0.4	1.2	0.9	0.0	0.2	0.1	0.2	0.3	0.3	0.0	0.3	0.2
Over-the-Counter Drugs	--	--	--	--	--	--	2.1	--	2.1	2.8	3.3	3.1	2.0	3.9	3.1	2.6	1.8	2.2
Any illicit drug	21.1	16.8	18.7	12.4	20.5	17.0	12.7	24.5	19.2	12.5	27.0	20.7	13.6	27.4	21.4	9.0	21.8	16.3
Any illicit drug other than marijuana	17.1	6.9	11.5	8.9	10.7	9.9	9.8	12.8	11.4	9.3	10.5	10.0	9.6	10.6	10.2	6.6	7.4	7.1
Alcohol only	14.8	30.3	23.2	16.6	30.8	24.8	12.6	25.4	19.8	9.3	19.0	14.8	7.1	16.4	12.4	5.9	16.0	11.7
Alcohol or any illicit drug	35.5	46.8	41.6	28.0	51.0	41.1	25.4	49.8	39.0	21.0	45.7	34.9	20.4	43.6	33.5	14.7	37.8	27.9
Any illicit drug, but no alcohol	8.6	4.2	6.2	2.8	3.1	3.0	3.9	5.1	4.6	5.0	6.2	5.7	5.4	6.3	5.9	5.3	7.5	6.6

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Flagler County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2014

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	20.6	19.9	20.8	--	21.5	20.6	--	21.8	20.5	23.2	--	21.7	21.8
Drinking at least once a month	--	3.6	3.6	3.7	--	4.4	3.6	--	3.9	3.9	3.9	--	3.9	3.9
Smoke cigarettes	--	12.3	12.4	12.1	--	13.2	12.3	--	11.9	10.7	13.1	--	11.9	11.9
Smoke marijuana	--	12.4	11.4	13.5	--	13.3	12.4	--	11.4	9.1	13.6	--	11.4	11.4
Great risk of harm														
1 or 2 drinks nearly every day	45.7	37.7	44.0	38.0	45.5	38.5	41.1	45.7	40.0	45.4	39.7	45.4	39.9	42.5
5+ drinks once or twice a week	57.3	52.4	58.5	50.5	56.8	54.1	54.5	58.8	51.4	57.7	51.7	58.8	51.5	54.6
1+ packs of cigarettes per day	67.7	69.8	68.6	68.7	67.8	70.4	68.9	68.0	70.0	69.5	68.9	68.9	69.8	69.1
Marijuana once or twice a week	50.2	23.0	36.2	32.7	48.9	23.4	34.7	53.8	25.4	39.2	36.3	51.8	25.1	37.7
Try marijuana once or twice	33.9	13.7	22.9	21.0	31.6	14.7	22.3	37.1	16.3	25.5	25.3	35.4	16.0	25.3
Use prescription drugs	76.7	77.1	76.8	77.0	77.6	76.6	76.9	71.7	70.8	72.3	70.3	72.0	70.7	71.2
Think it would be wrong to...														
Smoke cigarettes	92.0	81.1	84.8	86.8	92.4	80.5	85.7	94.7	83.9	88.7	88.5	94.6	85.0	88.6
Drink alcohol regularly	84.1	57.1	67.7	70.2	84.1	55.7	68.6	88.2	61.7	72.7	73.8	87.0	62.1	73.2
Smoke marijuana	83.0	58.2	69.7	67.7	82.9	56.6	68.7	89.4	62.2	75.2	72.8	88.1	62.0	74.0
Use other illicit drugs	97.8	93.5	96.1	94.5	97.8	93.4	95.3	97.4	92.9	95.2	94.5	97.2	92.9	94.8
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	97.9	90.6	92.6	95.0	97.8	90.3	93.7	97.1	92.7	94.7	94.5	96.9	93.1	94.6
Smoke cigarettes	99.2	92.4	95.4	95.3	98.9	95.2	95.3	98.5	95.6	97.1	96.6	98.5	96.4	96.9
Smoke marijuana	94.8	85.9	89.2	90.8	94.9	86.1	89.7	96.9	88.9	92.9	91.8	96.7	89.1	92.3
Use prescription drugs	98.8	96.3	96.9	97.7	99.0	95.7	97.4	98.3	97.2	97.3	98.1	98.2	97.2	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	90.8	72.1	81.9	78.3	89.7	71.8	80.0	90.3	76.5	84.0	81.0	89.6	76.5	82.5
Smoke tobacco	92.6	77.2	86.3	81.5	91.5	78.6	83.8	94.2	83.3	89.4	86.7	93.8	84.1	88.0
Smoke marijuana	82.8	51.3	66.9	62.4	82.3	50.2	64.7	87.9	59.0	72.8	70.2	86.0	58.9	71.5
Use prescription drugs	98.3	90.2	94.1	93.5	98.0	89.4	93.6	96.1	90.9	93.8	92.6	95.8	91.0	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Flagler County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	40.2	40.2	--	39.9	39.9	--	40.0	40.0	--	24.9	24.9	--	29.5	29.5	--	20.6	20.6
Drink monthly	--	9.0	9.0	--	9.4	9.4	--	11.2	11.2	--	7.5	7.5	--	6.0	6.0	--	3.6	3.6
Smoke cigarettes	--	32.2	32.2	--	30.7	30.7	--	31.2	31.2	--	19.6	19.6	--	19.9	19.9	--	12.3	12.3
Smoke marijuana	--	11.6	11.6	--	15.8	15.8	--	16.4	16.4	--	9.4	9.4	--	10.8	10.8	--	12.4	12.4
Great risk of harm																		
Daily alcohol use	39.1	32.7	35.6	34.3	32.7	33.4	41.8	37.0	39.1	40.3	38.3	39.2	48.3	34.5	40.5	45.7	37.7	41.1
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	57.3	52.4	54.5
Daily cigarette use	67.5	63.5	65.3	59.2	62.8	61.3	69.9	67.3	68.5	69.3	65.9	67.4	71.2	64.4	67.3	67.7	69.8	68.9
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	50.2	23.0	34.7
Try marijuana	51.5	19.3	34.1	33.4	22.7	27.4	41.2	23.1	31.1	40.1	20.2	28.9	36.1	18.0	25.8	33.9	13.7	22.3
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	69.9	69.9	76.7	77.1	76.9
Think it wrong																		
Smoke cigarettes	82.4	65.2	73.2	83.7	64.3	72.8	87.7	64.4	74.6	89.9	70.0	78.8	92.3	74.5	82.2	92.0	81.1	85.7
Drink regularly	71.2	48.5	59.1	70.3	43.6	55.5	79.2	47.9	61.6	82.0	51.0	64.8	85.9	59.6	71.0	84.1	57.1	68.6
Smoke marijuana	84.1	70.4	76.8	86.8	67.0	75.8	87.2	67.0	75.9	87.7	65.3	75.2	88.8	62.5	73.9	83.0	58.2	68.7
Use other illicit drugs	97.0	93.0	94.8	96.0	93.1	94.4	95.2	92.5	93.7	96.6	93.6	94.9	96.5	92.6	94.3	97.8	93.5	95.3
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.9	90.6	93.7
Smoke cigarettes	96.0	88.5	92.0	94.2	88.0	90.4	95.2	88.2	91.4	97.4	92.0	94.4	96.7	89.0	92.4	99.2	92.4	95.3
Smoke marijuana	96.1	94.1	95.0	96.5	91.4	93.5	95.3	89.7	92.2	96.3	89.7	92.6	96.6	86.3	90.9	94.8	85.9	89.7
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	98.8	96.3	97.4
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.8	72.1	80.0
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.6	77.2	83.8
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.8	51.3	64.7
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	98.3	90.2	93.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Flagler County and Florida Statewide youth, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.2	0.9	17.4	--	5.7	8.2	--	8.1	4.9	11.7	--	8.1	8.1
Bought in a restaurant, bar, or club	--	0.7	1.2	0.0	--	0.9	0.7	--	1.7	2.2	1.2	--	1.7	1.7
Bought at a public event	--	0.0	0.0	0.0	--	0.0	0.0	--	0.8	0.7	1.0	--	0.8	0.8
Someone bought it for me	--	24.4	31.3	16.7	--	25.9	24.4	--	17.5	16.3	19.1	--	17.6	17.5
Someone gave it to me	--	36.0	34.8	36.8	--	35.0	36.0	--	43.0	48.6	36.3	--	43.0	43.0
Took it from a store	--	1.8	2.1	1.6	--	2.4	1.8	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	12.4	16.1	8.1	--	14.1	12.4	--	11.0	11.5	10.5	--	11.0	11.0
Some other way	--	16.5	13.6	19.3	--	16.0	16.5	--	17.5	15.6	19.7	--	17.5	17.5

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Flagler County and Florida Statewide youth, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	38.1	43.0	31.3	--	37.8	38.1	--	32.5	33.4	31.5	--	32.5	32.5
Another person's home	--	42.9	38.6	48.4	--	43.0	42.9	--	46.3	46.4	46.2	--	46.3	46.3
Car or other vehicle	--	1.3	2.4	0.0	--	1.7	1.3	--	1.6	1.6	1.6	--	1.6	1.6
Restaurant, bar, or club	--	2.8	3.9	1.5	--	3.6	2.8	--	2.7	3.4	1.9	--	2.7	2.7
Public place	--	2.4	3.9	0.7	--	3.1	2.4	--	3.9	4.1	3.6	--	3.9	3.9
Public event	--	0.9	1.7	0.0	--	0.0	0.9	--	1.6	1.7	1.3	--	1.6	1.6
School property	--	0.8	1.6	0.0	--	1.1	0.8	--	1.2	0.9	1.6	--	1.2	1.2
Some other place	--	10.9	5.0	18.0	--	9.7	10.9	--	10.3	8.6	12.3	--	10.3	10.3

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Flagler County and Florida Statewide youth, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	33.2	32.6	33.7	--	33.1	33.2	--	26.1	29.4	22.0	--	26.0	26.1
2	--	20.3	22.7	16.2	--	22.6	20.3	--	22.5	23.9	20.7	--	22.4	22.5
3	--	13.1	12.8	13.8	--	13.9	13.1	--	16.6	17.1	16.3	--	16.7	16.6
4	--	11.0	13.9	7.9	--	9.6	11.0	--	10.6	11.4	9.9	--	10.7	10.6
5 or more	--	22.4	18.0	28.2	--	20.8	22.4	--	24.2	18.2	31.1	--	24.2	24.2

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Flagler County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.4	6.2	5.9	4.3	3.4	7.1	5.0	3.6	7.3	6.0	5.4	3.7	7.7	5.7
Smoking marijuana	6.6	13.4	8.7	12.5	6.8	13.3	10.5	4.1	13.7	8.7	10.5	4.3	14.2	9.6
Used another drug to get high	2.5	3.7	3.9	2.5	2.6	4.4	3.1	1.8	4.1	3.1	3.1	1.9	4.3	3.1

Table 12. Percentages of Flagler County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2014

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Carrying a handgun	3.9	6.7	3.0	8.0	3.6	7.5	5.5	5.1	5.4	2.7	7.8	4.9	5.6	5.3
Selling drugs	1.7	7.3	3.1	6.5	2.1	7.2	4.9	2.1	6.9	3.1	6.6	2.1	7.3	4.9
Attempting to steal a vehicle	1.2	1.8	0.7	2.4	1.3	2.1	1.5	1.1	1.5	0.9	1.8	1.0	1.7	1.4
Being arrested	1.9	2.8	1.1	3.9	1.6	3.9	2.4	2.2	3.3	2.1	3.5	1.8	3.7	2.8
Taking a handgun to school	0.6	0.8	0.4	1.0	0.5	1.0	0.7	0.6	0.8	0.4	1.0	0.5	0.9	0.7
Getting suspended	10.5	8.4	6.7	12.1	9.5	10.1	9.3	11.0	9.7	7.4	12.9	10.1	10.7	10.3
Attacking someone with intent to harm	6.6	8.3	7.6	7.6	6.5	9.4	7.5	6.7	7.0	6.1	7.7	6.5	7.6	6.9

Table 13. Trends in delinquent behaviors for Flagler County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.1	5.6	4.4	5.3	6.1	5.9	4.5	5.9	5.3	3.3	3.8	3.6	8.4	4.5	6.2	3.9	6.7	5.5
Selling drugs	4.6	8.2	6.5	5.5	6.3	6.0	4.1	10.3	7.5	2.0	8.7	5.8	2.5	10.7	7.1	1.7	7.3	4.9
Attempting to steal a vehicle	4.8	4.5	4.6	3.2	3.0	3.1	2.6	3.7	3.2	1.6	3.0	2.4	0.8	2.3	1.6	1.2	1.8	1.5
Being arrested	6.8	6.3	6.5	6.9	9.5	8.5	5.7	6.7	6.2	1.9	5.7	4.0	2.5	3.5	3.1	1.9	2.8	2.4
Taking a handgun to school	0.4	0.8	0.6	2.0	1.0	1.3	0.7	1.2	1.0	0.2	0.8	0.6	0.8	1.4	1.1	0.6	0.8	0.7
Getting suspended	13.9	9.1	11.3	17.2	15.4	16.2	16.1	15.3	15.6	15.6	10.3	12.7	14.1	10.5	12.1	10.5	8.4	9.3
Attacking someone with intent to harm	13.7	14.9	14.4	18.5	15.2	16.5	12.2	15.8	14.2	9.4	9.9	9.7	13.1	7.2	9.8	6.6	8.3	7.5

Table 14. Percentages of Flagler County and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2014

	Flagler County						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	47.1	43.3	33.5	56.1	47.2	42.3	44.9	48.5	45.9	36.4	57.4	48.5	46.3	47.0
Arguing about gambling	12.7	12.4	10.5	14.6	13.0	12.6	12.5	13.1	11.1	9.3	14.4	13.0	11.4	12.0

Table 15. Percentages of Flagler County and Florida Statewide youth who reported involvement in bullying behavior, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	44.8	30.3	49.2	23.9	45.9	29.0	36.5	42.3	27.5	44.1	24.2	41.6	27.6	33.9
Skipped school because of bullying	7.8	6.3	9.5	4.0	7.2	7.0	6.9	5.6	6.2	8.7	3.3	5.7	6.4	5.9
Was kicked or shoved in past 30 days	20.4	9.4	13.4	14.0	18.9	10.3	14.1	18.1	7.5	10.7	13.3	17.2	7.8	12.1
Was taunted or teased in past 30 days	35.4	23.6	33.9	23.1	34.3	24.5	28.6	36.1	22.1	30.8	25.4	35.1	23.0	28.1
Was victim of cyber bullying in past 30 days	9.1	7.7	11.7	4.6	8.2	7.5	8.2	7.3	7.5	10.6	4.3	7.3	7.7	7.4
Physically bullied others in past 30 days	9.6	4.3	6.2	6.8	8.3	5.5	6.5	7.5	4.8	4.6	7.2	7.1	5.1	6.0
Verbally bullied others in past 30 days	16.1	10.3	14.2	11.0	15.7	11.4	12.8	14.2	10.2	11.2	12.7	13.8	10.6	12.0
Cyber bullied others in past 30 days	2.8	3.4	3.6	2.7	3.0	3.7	3.1	3.1	3.9	4.0	3.2	3.1	4.1	3.6

Table 16. Percentages of Flagler County and Florida Statewide youth who reported gang membership, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	4.8	5.5	2.8	7.4	4.0	5.4	5.2	3.6	3.7	2.5	4.8	3.3	4.0	3.7
Did that gang have a name?	22.5	24.4	11.0	34.3	23.4	23.1	23.7	26.6	16.8	16.2	23.3	24.2	18.8	20.0
Are you a gang member now?	--	3.1	1.3	4.9	--	3.1	3.1	--	2.1	1.5	2.6	--	2.2	2.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Flagler County and Florida Statewide youth, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	7.6	7.9	7.5	--	5.3	7.6	--	6.2	5.3	6.9	--	6.2	6.2
Protection	--	6.6	2.9	9.0	--	6.8	6.6	--	4.5	3.7	5.2	--	4.5	4.5
Friend or relative in a gang	--	5.6	8.6	3.8	--	7.5	5.6	--	4.5	3.8	5.1	--	4.5	4.5
Forced to join	--	0.9	2.2	0.0	--	1.2	0.9	--	1.6	1.9	1.4	--	1.6	1.6
To get respect	--	4.7	1.1	7.0	--	4.2	4.7	--	4.3	2.6	5.6	--	4.4	4.3
Money	--	8.2	1.1	12.9	--	9.5	8.2	--	4.6	2.4	6.2	--	4.6	4.6
To fit in better	--	0.4	1.1	0.0	--	0.6	0.4	--	1.4	1.0	1.7	--	1.4	1.4
Other reasons	--	10.9	6.8	13.7	--	12.7	10.9	--	6.6	4.9	7.9	--	6.6	6.6

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Flagler County and Florida Statewide youth who reported participation in extracurricular activities, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	18.9	42.9	29.1	35.4	21.4	41.5	32.6	35.1	40.3	34.3	41.7	35.7	40.7	38.1
Organized Sports Outside of School	50.4	19.2	31.5	33.7	46.9	21.4	32.5	44.8	26.3	31.0	37.6	43.8	26.7	34.4
School Band	10.4	8.3	9.5	8.9	11.0	7.6	9.2	14.9	7.3	11.0	10.3	14.4	7.1	10.6
School Club(s)	18.2	30.4	31.6	19.3	18.6	32.4	25.2	21.2	31.4	35.1	19.4	22.2	31.1	27.0
Community Club(s)	10.7	15.8	18.6	8.6	10.7	14.1	13.6	9.5	13.8	15.1	9.0	9.8	13.6	11.9

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Flagler County and Florida Statewide youth, 2014

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	20.0	19.6	20.3	--	19.2	20.0	--	18.1	20.1	16.2	--	18.1	18.1
Marijuana	--	23.8	25.1	23.2	--	26.8	23.8	--	23.5	24.4	22.7	--	23.8	23.5
<i>Driving a vehicle</i>														
Alcohol	--	5.2	3.6	6.9	--	5.3	5.2	--	6.6	6.2	6.8	--	6.3	6.6
Marijuana	--	12.1	9.8	14.5	--	13.4	12.1	--	10.9	9.6	12.2	--	10.7	10.9

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Flagler County, 2012 and 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	20.1	20.1	--	20.0	20.0
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	23.1	23.1	--	23.8	23.8
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	9.5	9.5	--	5.2	5.2
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	12.6	12.6	--	12.1	12.1

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Flagler County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	42	62	48	61	56	63
Family	Family Opportunities for Prosocial Involvement	57	55	60	58	59	54
	Family Rewards for Prosocial Involvement	55	55	55	56	54	55
School	School Opportunities for Prosocial Involvement	45	66	51	62	57	60
	School Rewards for Prosocial Involvement	50	59	50	60	53	58
Peer and Individual	Religiosity	48	53	47	57	56	62
Average Prevalence Rate		50	58	52	59	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Flagler County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	47	56	44	46	47	47
	Transitions and Mobility	63	72	58	62	47	46
	Laws and Norms Favorable to Drug Use	37	37	36	33	42	42
	Perceived Availability of Drugs	46	32	40	31	45	45
	Perceived Availability of Handguns	29	43	24	37	25	42
Family	Poor Family Management	42	34	40	38	44	45
	Family Conflict	38	34	38	33	42	37
School	Poor Academic Performance	45	40	42	43	45	48
	Lack of Commitment to School	56	48	52	52	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	38	38	36	40	46
	Favorable Attitudes toward ATOD Use	36	42	32	38	39	45
	Early Initiation of Drug Use	29	26	25	26	41	46
Average Prevalence Rate		42	42	39	40	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Flagler County, 2004 to 2014

Domain	Scale	Flagler County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	47	50	46	48	45	42
Family	Family Opportunities for Prosocial Involvement	52	45	55	53	53	57
	Family Rewards for Prosocial Involvement	45	51	49	46	48	55
School	School Opportunities for Prosocial Involvement	39	41	39	33	42	45
	School Rewards for Prosocial Involvement	41	42	36	45	49	50
Peer and Individual	Religiosity	47	40	46	49	49	48
Average Prevalence Rate		45	45	45	46	48	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Flagler County, 2004 to 2014

Domain	Scale	Flagler County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	51	45	52	56	54	47
	Transitions and Mobility	68	72	70	61	65	63
	Laws and Norms Favorable to Drug Use	53	55	53	45	40	37
	Perceived Availability of Drugs	60	58	56	54	55	46
	Perceived Availability of Handguns	25	26	31	26	31	29
Family	Poor Family Management	52	66	52	48	42	42
	Family Conflict	49	57	45	47	43	38
School	Poor Academic Performance	45	44	46	41	41	45
	Lack of Commitment to School	59	63	61	56	48	56
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	59	52	53	46	41
	Favorable Attitudes toward ATOD Use	56	53	46	43	38	36
	Early Initiation of Drug Use	55	48	42	39	35	29
Average Prevalence Rate		52	53	48	48	43	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Flagler County, 2004 to 2014

Domain	Scale	Flagler County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	54	59	53	53	56	62
Family	Family Opportunities for Prosocial Involvement	54	51	50	58	56	55
	Family Rewards for Prosocial Involvement	57	53	52	57	54	55
School	School Opportunities for Prosocial Involvement	67	63	62	60	64	66
	School Rewards for Prosocial Involvement	59	57	57	61	57	59
Peer and Individual	Religiosity	56	52	57	54	51	53
Average Prevalence Rate		58	56	55	57	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Flagler County, 2004 to 2014

Domain	Scale	Flagler County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	40	49	50	55	57	56
	Transitions and Mobility	73	75	75	72	70	72
	Laws and Norms Favorable to Drug Use	43	40	40	41	40	37
	Perceived Availability of Drugs	51	47	47	39	35	32
	Perceived Availability of Handguns	48	44	47	36	40	43
Family	Poor Family Management	51	57	54	41	44	34
	Family Conflict	39	41	43	40	37	34
School	Poor Academic Performance	43	51	46	41	42	40
	Lack of Commitment to School	50	53	51	49	48	48
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	57	54	42	40	38
	Favorable Attitudes toward ATOD Use	47	47	46	44	42	42
	Early Initiation of Drug Use	46	48	43	34	34	26
Average Prevalence Rate		48	50	48	45	44	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.